

220V AC Electric Actuated Ball Valve DN15 - DN25 For HVAC **System**

Basic Information

. Place of Origin: China . Brand Name: OEM CE · Certification:

WRA-6320+WPUBV215 Model Number:

Minimum Order Quantity:

• Price: Negotiable Packaging Details: Plywood Cases • Delivery Time: 15-60 Days • Payment Terms: L/C, T/T Based On Order . Supply Ability:



Product Specification

220vac+/-10% Voltage: Control: 3-point Valve Material: PVC

Valve Size: 2 Way DN15-DN25 • Usage: **HVAC System**

• Quality: High

• Highlight: electrically operated valve

Product Description

220VAC Electric PVC Plastic Ball Valve DN15-DN25

Forming Machine Process

- 1. CNC Lathe Processing
- 2. High precision CNC machining center processing
- 3. General lathe processing
- 4. The machine punch the product parts
- 5. Cold Forming Molding
- 6. Welding Assembly

Valve body: U-PVC, C-PVC, PP Stem: U-PVC, C-PVC, PP Stem O-Ring: EPDM, FPM

Ball: U-PVC, C-PVC, PP Carrier O-Ring: EPDM, FPM

Union: U-PVC, C-PVC, PP End Connector: U-PVC, C-PVC, PP End Connestor O-Ring: EPDm, FPM

Dampener Seal: EPDM, FPM Mounting Clamp: PVC-M, SUS304 Bolt: SUS304

Model No.		Inner Dia.	Inch	Kvs(m ³ /h)	∆Pmax(KPa)	Ps(KPa)
WUPBV215	i2-wav	13mm	1/2"	6.15	1000	1400
WUPBV220		18mm	3/4"	10.5	1000	1400
WUPBV225		23mm	1"	16.1	1000	1400

Actuator

WRA-63... AC230/110/24V, 50/60Hz, 3-point WRA-63...A AC230/110/24V, 50/60Hz, on/off Output torque: >3.5N.m Angle of rotation: 90° Protect rank: IP55/IP54 On/off time: 16S

The actuator is controlled by a modulating on/off or 3-point control signal, using reversible synchronous motor and gear speed

reducer drive to fix and lock.

WRA-63... 3-point type

Black wire is power on Valve closed

Brown wire is power on Valve open

Function (3-point or on/off type)

Black or brown wire is power off Valve keep the current position

Blue wire is connected to the null wire. Also can be used as on/off type.

WRA-63...A on/off type

Black wire is the control wire. Power on: valve open, power off: valve close

Brown wire is connected to the power wire.

Blue wire is connected to the com. Only can be used as on/off type.

Model No.	Working Voltage	Actuator type	Output torque	noitamiliana, ii	On/off time	Valve body	
1	230VAC±15% -50/60Hz	3-point or on/off				WUPBV215	
WRA-6320A	-50/00112	On/off					
WRA-6310	110VAC±15% 50/60Hz	3-point or on/off	3.5N.m	7W		WUPBV220 WUPBV225	
WRA-6310A	1	On/off	1		60Hz:12S		
1	24VAC±15% 50/60Hz	3-point or on/off	1				Service
WRA-6302A	-50/00112	On/off					

1. Provide your technical

requirements and drawings

- 2. Get primary reply from us within 12 hours
- 3. Get technical solution and quotation from us within 24 hours
- 4. Technical solution and quotation confirmation
- 5. Provide samples if necessary
- 6. Contract review and signing
- 7. Arrange production and shipment
- 8. After sales service



Beijing Silk Road Enterprise Management Services Co.,LTD



17733330123







